

Patient Information



ZEPZELCA™
[pronunciation zep zel' kah]
(lurbinectedin) for injection

What is ZEPZELCA?

ZEPZELCA™ (lurbinectedin) is a prescription medicine used to treat adults with a kind of lung cancer called small cell lung cancer (SCLC).

ZEPZELCA may be used when your lung cancer:

- has spread to other parts of the body (metastatic), **and**
- you have received treatment with chemotherapy that contains platinum, and it did not work or is no longer working.

ZEPZELCA is approved based on response rate and how long the response lasted. Additional studies will further evaluate the benefit of ZEPZELCA for this use.

Please see accompanying full Prescribing Information including Patient Information, and discuss with your doctor.

What should I tell my healthcare provider before receiving ZEPZELCA™ (lurbinectedin)?

Before you start receiving ZEPZELCA, tell your healthcare provider about all of your medical conditions, including if you:

- have liver or kidney problems
- are pregnant or plan to become pregnant. ZEPZELCA can harm your unborn baby
 - **Females who are able to become pregnant:**
 - Your healthcare provider should do a pregnancy test before you start treatment with ZEPZELCA
 - You should use effective birth control (contraception) during treatment and for 6 months after your final dose of ZEPZELCA
 - Tell your healthcare provider right away if you become pregnant or think that you are pregnant during treatment with ZEPZELCA
 - **Males with female partners who are able to become pregnant** should use effective birth control during treatment and for 4 months after your final dose of ZEPZELCA
- are breastfeeding or plan to breastfeed. It is not known if ZEPZELCA passes into your breastmilk. Do not breastfeed during treatment with ZEPZELCA and for 2 weeks after your final dose of ZEPZELCA. Talk to your healthcare provider about the best way to feed your baby during treatment with ZEPZELCA



Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Certain other medicines may affect how ZEPZELCA works. Know which medicines you take. Keep a list of them to show your healthcare provider and pharmacist when you get a new medicine.



ZEPZELCA is usually given every 21 days.



ZEPZELCA is given by an intravenous (IV) infusion into a vein over 60 minutes.

How will I receive ZEPZELCA?

- Before each treatment with ZEPZELCA, you may receive medicines to help prevent nausea and vomiting or make them less severe
- Your healthcare provider will decide how long you will continue treatment with ZEPZELCA
- Your healthcare provider may do certain tests during your treatment with ZEPZELCA to check you for side effects and to see how well you respond to the treatment

What should I avoid while using ZEPZELCA?

Avoid eating or drinking grapefruit or products that contain grapefruit juice during treatment with ZEPZELCA.

Please see accompanying full Prescribing Information including Patient Information, and discuss with your doctor.

 **ZEPZELCA™**
(lurbinectedin) for injection 4 mg

What are the possible side effects of ZEPZELCA™ (lurbinectedin)?

ZEPZELCA can cause serious side effects, including:

- **Low blood cell counts.** Low blood counts, including low neutrophil counts (neutropenia) and low platelets counts (thrombocytopenia) are common with ZEPZELCA and can also be severe. Some people with low white blood cell counts may get fever, or an infection throughout the body (sepsis), that can cause death

Your healthcare provider should do blood tests before you receive each treatment with ZEPZELCA to check your blood cell counts

Tell your healthcare provider right away if you develop:

- fever or any other signs of infection
- unusual bruising or bleeding
- tiredness
- pale colored skin

- **Liver problems.** Increased liver function tests are common with ZEPZELCA and can also be severe. Your healthcare provider should do blood tests to check your liver function before you start and during treatment with ZEPZELCA

Tell your healthcare provider right away if you develop symptoms of liver problems including:

- Loss of appetite
- nausea or vomiting
- pain on the right side of your stomach-area (abdomen)

Your healthcare provider may temporarily stop treatment, lower your dose, or permanently stop ZEPZELCA if you develop low blood cell counts or liver problems during treatment.

What are the possible side effects of ZEPZELCA? (CONTINUED)

The most common side effects of ZEPZELCA include:

- tiredness
- low white and red blood cell counts
- increased kidney function blood test (creatinine)
- increased liver function blood tests
- increased blood sugar (glucose)
- nausea
- decreased appetite
- muscle and joint (musculoskeletal) pain
- low level of albumin in the blood
- constipation
- trouble breathing
- low levels of sodium and magnesium in the blood
- vomiting
- cough
- diarrhea

These are not all of the possible side effects of ZEPZELCA.



You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

You may also report side effects to Jazz Pharmaceuticals at 1-800-520-5568.

Call your doctor for medical advice about side effects. Please see accompanying full Prescribing Information including Patient Information, and discuss with your doctor.

 **ZEPZELCA™**
(lurbinectedin) for injection 4mg

Cost and coverage support for ZEPZELCA™ (lurbinectedin)

Dedicated JazzCares specialists are available to assist you or your loved one with reimbursement for ZEPZELCA.

Ask our JazzCares specialists about...

•Understanding your insurance coverage

- Investigate benefits and verify coverage, help with prior authorization and appeals, answer coding and other reimbursement questions, and refer you to financial assistance options

•Help paying for your medication*

- If you have commercial insurance, you may qualify for assistance with out-of-pocket costs for ZEPZELCA

•Free drug program

- If you are uninsured or do not have coverage for ZEPZELCA, you may be able to receive ZEPZELCA for free, if you meet certain eligibility criteria

*Insurance coverage and plans may vary. The JazzCares Program at Jazz Pharmaceuticals provides general information only and is not a guarantee of any coverage or reimbursement outcome. All treatment decisions rest solely with the treating physician or qualified healthcare professional.

Please see accompanying full Prescribing Information including Patient Information, and discuss with your doctor.



Call the patient support hotline at 1-833-533-JAZZ (5299) Monday through Friday between 8 AM and 8 PM ET to speak with a specialist.



Learn more about ZEPZELCA and JazzCares at ZEPZELCA.com.



ZEPZELCA is a trademark of PharmaMar, S.A. used by Jazz Pharmaceuticals under license.

©2020 Jazz Pharmaceuticals

US-LUR-2000021

Rev0620